

NATIONAL INSTITUTE FOR EMPOWERMENT OF PERSONS WITH MULTIPLE DISABILITIES

(NIEPMD)



**(Department of Empowerment of Persons with Disabilities,
Ministry of Social Justice & Empowerment, Govt. of India)
E.C.R. Muttukadu Kovalam P.O, Chennai- 603 112**

E-TENDER NOTICE- SUPPLY OF THERAPY MATERIALS

National Institute for Empowerment of Persons with Multiple Disabilities (NIEPMD) is a Central Autonomous Institute established by Government of India to provide various services to persons with Multiple Disabilities. The Institute invites E - Tenders through electronic tendering system under two-bid system URL <http://eprocure.gov.in/eprocure/app> from Reputed contractors/ Authorized Dealers / Manufacturer having proven track record for supplying of therapy materials to Central Govt. / State Govt./ Autonomous institutes / colleges / Special schools / NGOs as per terms & conditions mentioned in tender. The bidder must have a minimum experience of 05 years for supplying therapy material duly supported by proper testimonials certificates. The tender document can also be downloaded from our website www.niepmid.tn.nic.in. EMD amount and cost of tender document to be paid online through NEFT / RTGS in NIEPMD account as per bank details mentioned in tender document. Scan copies of online payment receipt must be uploaded with tender document in support of payment proof.

File No. NIEPMD/Pur4 (59)/2017-18

Last date for e-bidding	-	3.00 PM. on 26/08/2017
Pre-Bid meeting (Mandatory)	-	03.00 PM on 16/08/2017
Tender Fee	-	Rs.1,000/-
EMD Amount	-	Rs.1,00,000/--
Date & Time of Opening of Tender	-	04.00 PM. on 28/08/2017

--Sd--
DIRECTOR

**NATIONAL INSTITUTE FOR EMPOWERMENT OF PERSONS WITH MULTIPLE DISABILITIES
(NIEPMD)**

(Department of Empowerment of Persons with Disabilities (Divyangjan),

Ministry of Social Justice & Empowerment, Govt. of India)

East coast Road, Muttukadu, Kovalam (post) Chennai-603 112

Tel:044-27472113,274720 46 Fax:044-27472389

www.niepmd.tn.nic.in Email:niepmd@mail.com

E-TENDER NOTICE- SUPPLY OF THERAPY MATERIALS

File No. NIEPMD/Pur4 (59)/2017-18

Last date for e-bidding	-	3.00 PM. on 26/08/2017
Pre-Bid meeting (Mandatory)	-	03.00 PM on 16/08/2017
Tender Fee	-	Rs.1,000/-
EMD Amount	-	Rs.1,00,000/--
Date & Time of Opening of Tender	-	04.00 PM. on 28/08/2017

--Sd--
DIRECTOR

National Institute for Empowerment of Persons with Multiple Disabilities (NIEPMD) is a Central Autonomous Body under the Department for Empowerment of Persons with Disabilities (Divyangjan), Ministry of Social Justice & Empowerment, Government of India. The Institute intends to procure therapy materials for its campus, Muttukadu, Kovalam, Chennai -603112, Tamilnadu (India) and its extension centers and CRCs (Composite Regional Centers) located in other parts of India. The tender will be included with therapy material requirement of Directorate of Social Welfare, Andaman & Nicobar Administration also. Tenderer must be in acknowledgement that will be supplying the therapy materials in all parts of India including Directorate of Social Welfare, Andaman & Nicobar Administration. A certificate in this regard must be furnished on company letter head and uploaded with technical. Non uploading of consent may lead to rejection of bid.

The institute inviting e-tenders in two bid system i.e. (i) Technical bid and (ii) Financial bid from reputed contractors/ Authorized Dealers / Manufacturer having proven track record for supplying of therapy materials who has proven track record with an average annual turnover not less than **Rupees 1 crore** during last 03 FYs (Should be 3 crores in last 3 FYs). . Interested bidders can apply on line through NIC e-procurement portal URL "<http://eprocure.gov.in/eprocure/app>". The tender document can also be downloaded from our website www.niepmd.tn.nic.in.

Date: 04th Aug 2017

--Sd--
DIRECTOR

**NATIONAL INSTITUTE FOR EMPOWERMENT OF PERSONS WITH MULTIPLE DISABILITIES
(NIEPMD)**

**(Department of Empowerment of Persons with Disabilities (Divyangjan),
Ministry of Social Justice & Empowerment, Govt. of India)**

E.C.R. Muttukadu Kovalam P.O, Chennai- 603 112

Tender No. NIEPMD/Pur 4 (59)/2017-18

Notice Inviting Tenders

Sub.: Annual Rate Contract for Supply of therapy materials

National Institute for Empowerment of Persons with Multiple Disabilities (NIEPMD), Chennai, Under Ministry of Social Justice and Empowerment, DEPwD intends to enter in to annual rate contract for supply of therapy materials for a period of one year after finalization of contract. The contract may be extendable to 02 more years subject to satisfactory performance and discretion of Director, NIEPMD. However it is not binding for either side to extend the rate contract beyond one year any party can refuse to extend the contract beyond one year without assigning any reason.

Details of tender:

1. **Submission of Bid:** The bid should be uploaded through NIC e-procurement portal URL "<http://eprocure.gov.in/eprocure/app>" up to **26.08.17 at 03.00 PM, containing following:**
 - i) EMD in the manner as prescribed at Clause No.10 below.
 - ii) Bidder shall upload the scanned copies of following:
 - a) Authorized Dealer/Distributor/Business Partner/RSR Certificate from OEM.
 - b) Relevant Documents in case of MSME/SSI/NSIC Unit.
 - c) The bidder must have a minimum experience of 05 years in supplying of therapy materials to Central Govt. / State Govt. / Autonomous institutes / colleges / Special schools / NGOs and this should be duly supported by proper testimonials certificates and proper firm order copy and order completion certificates.
 - c) PAN Card, Address Proof and Sales Tax / TIN No. / GST number
 - iii) Duly filled Price Bid (BOQ Provided in Excel format).
2. **Opening of Bid:** Bid shall be opened on the **28th Aug 2017 at 04.00 PM.**
3. **Bid Validity:** Bid shall remain valid for a period of 60 days from the date of opening of bid.
4. **Bid Evaluation:** Duly filled Price Bid shall be evaluated on lowest tender basis.
5. The total cost quoted should be exclusive of taxes. Applicable taxes to be mentioned separately. Tax applicable at the time of invoice will be paid.
6. Prices quoted by the bidder shall remain FIRM for delivery in NIEPMD and other places, as instructed above during the currency of contract and any extension thereof.

7. The tender submitted by any other means except NIC e-procurement portal, will not be entertained under any circumstances.
8. The list of technically qualified bidders will be published on the Notice Board and website of NIEPMD.
9. The financial bids of **technically qualified bidders only will be opened**. On the same day or time of opening will be intimated after evaluation of technical bid.
10. **Earnest Money Deposit:** The Bidders shall deposit Earnest Money amounting to **Rs. 1,00,000 (Rs. One lakh only)** and non-refundable tender fees of **Rs. 1,000/-** through e-payment as per the procedure mentioned below:

11. **Procedure for e-payment:**

EMD of Rs.1,00,000/- and Tender fee of Rs. 1,000/- should be paid online through NEFT or RTGS in NIEPMD account. Payment receipts to be uploaded with technical bid. Technical bids without proof of EMD and Tender Fee payment shall not be considered for further evaluation. NIEPMD Bank details are as follows:

A/C No. 761297290

Account Holder Name: Director, NIEPMD

Type of Account: Saving Bank

Name of Bank: Indian Bank, Kovalam Branch

IFS Code: IDIB000K122

Branch Code: 01176

• **Caution:** Please ensure that you need to mention the correct beneficiary account number and IFSC code as mentioned above while making payment via RTGS / NEFT. **In the event of funds remitted to wrong beneficiary account number, NIEPMD, Chennai or its Bank would not responsible for the same.**

12. **Tender Submission process**

Interested bidder may submit their quotes by giving all the necessary documents in English or Hindi as specified. **The TENDER must be submitted online through Central Public Procurement Portal e-procurement application only through URL: <http://eprocure.gov.in/eprocure/app> only.** No manual bids will be entertained under any circumstances.

The Tender document attached must be direct, concise, and complete and arranged in an organized and structured manner as per the checklist provided.

To participate in online bidding process, Bidders must procure a Digital Signature Certificate as per Information Technology Act-2000 using which they can digitally sign and encrypt their electronic bids. Bidders can procure the same from any CCA approved certifying agency, i.e.

TCS, Safecrypt, Ncode, eMudhra etc. Bidders who already have a valid Digital Signature Certificate (DSC) need not procure a new DSC.

NIEPMD will not be responsible for delay in online submission due to any reason. For this, bidders are requested to upload the complete bid proposal well advance in time so as to avoid issues like slow speed, choking of web site due to heavy load or any other unforeseen problems.

Bidders are also advised to refer visit any local NIC office or call CPPP 24x7 toll free number 1800-3070-223 or mobile No. 07878007972, 07878007973 for further details about the e-tendering / bidding process.

GENERAL TERMS AND CONDITIONS:

13. The bidder should have their own agency facility. Proof to be uploaded in the Tech Bid.
14. The bidder should have a minimum average annual turnover of **Rs. 01 (One) crore** during last three FYs. Proof of certificate for turnover is required to be uploaded with the tender **(CA attested certificate and must be the copy of the audited balance sheet with profit and loss account should be uploaded with technical bid.)**
15. The applying firm must be registered with the **Sales Tax / Value Added Tax /GST** and the supporting proof for the same is to be uploaded.
16. Bidders should provide brief profile of their work experience for the last Five years along with the relevant samples of the similar work done earlier.
17. The tender received through fax / e-mail or received by post etc. will not be accepted. The parties have to ensure the uploading of bids well in time
18. The bid is liable to be rejected if the EMD and Tender fee is not found in order or receipt not accompanying with the Technical Bid.
19. The EMD of unsuccessful bidders shall be returned after the issuance of award to the successful bidder. No interest will be paid on EMD by the NIEPMD.
20. The EMD of successful bidders shall be retained as security deposit and released after successful completion of contract. No interest will be paid on security deposit amount.
21. NIEPMD reserves the right to accept / reject / select more than one Agency and to annul the bidding process of any or all bids at any time prior to award of contract without thereby incurring any liability to the affected bidders. Director NIEPMD having full right to extend the bid submission date / bid opening date without assigning any reason. No correspondence will be entertained on said issues.
22. The NIEPMD reserves the right to increase/decrease the quantity at the time of placing the order.
23. The financial bids of technically qualified bidders only will be opened. On the same day or time of opening will be intimated.

24. The order will be awarded for supply of therapy Materials with the lowest tenderer from the technically qualified bidder. **As no subsequent cost negotiations will be done, the price quoted should be final.**
25. In case **28th Aug 2017** happens to be holiday, the tenders shall be opened on next working day at the same time and place.
26. **Submission of bid means that bidder has read all the terms and conditions of this NIT carefully and will comply them all unconditionally. Conditional bids will not be accepted.**
27. NIEPMD, Chennai reserves the right to split the quantity/items ordered on more than one vendor.
28. The tender will be appraised by committee formed by NIEPMD.
29. **MSME/SSI Units:** The units registered with MSME/SSI/NSIC etc., are exempted from payment of EMD subject to following:
- I. Submission/upload of registration certificate with District Industries Centers or Khadi and Village Industries Commission or Khadi and Village Industries Board or National Small Industries Corporation
 - II. Valid registration during validity period of quotation.
 - III. Applied for registration or for renewal will not be accepted. Such offers will be treated as offer received without EMD
30. The award to MSME Firms shall be regulated as per Govt. Guidelines.
31. **Delivery Schedule:** Purchase order shall be issued as per requirement and the firm shall ensure delivery of material within 30 days from the date of placement of each purchase order.
32. **Payment:** payment will be made after receipt of material against each Purchase Order in good condition and full quantity to the entire satisfaction of Consignee. Normally payment will be made within thirty working days after the satisfactory supply is made to consignee.
33. **Delivery** The materials should be delivered at Chennai and to other parts of the country as per detailed mentioned in purchase order.
34. **Delayed delivery & Compensation for delay:**
- If the delivery of material/goods in full and in good condition is not completed for whatsoever reason within the stipulated period, an amount @5% (Five percent of the undelivered material) would be deducted from the payment due to supplier for each week or part thereof, subject to the maximum of 15% (Twenty five percent of the undelivered material). In case, short supply in all respect is delayed beyond 70 days of scheduled delivery period in that case besides LD, EMD shall also be forfeited without any notice.

Further if the delivery of material/goods is not commenced at all for whatsoever reason within the scheduled delivery period, in that case the NIEPMD reserve the right to cancel the order with forfeiture of EMD without any notice.

In case of any defects and material is not found to be as per specification, the same shall be made good/replaced by the concerned firm as per the instructions of Consignee failing which it will attract action as above.

- 35. The NIEPMD reserves the right to accept or reject any or all the tenders without assigning any reason thereof whatsoever.

.....I/We agree to all terms and conditions as mentioned above including the validity of the offer. Utmost confidentiality of the data provided shall be maintained.

Name, Designation & Signature of the bidder with the seal

SCOPE OF WORK

NIEPMD is inviting on line tender from reputed suppliers & agencies to finalise annual rate contract for following therapy materials: -

Sl. No	Particulars	Specifications
Physiotherapy		
1.	High power SWD 500W	<ul style="list-style-type: none"> • Max output: 500 W • Frequency: 27.12 Mhz • Wavelength -11 m • Size: L x B x H 40-50,30-40,85-95 • Weight 50-60 kg • Operating voltage: 220 V, 50 Hz
2.	Interferential Therapy	<ul style="list-style-type: none"> • Chanel- Dual isolated between channels • Mode- 2 nos • Waveform- Sine wave • Modulation form- Triangle, Square & Trapezoid • Output Configuration- 4 pads & 2 Pads • Weight 2.5 to 3.00 kg
3.	TENS	<ul style="list-style-type: none"> • Output current 0 to 60 mA • Output voltage -0 to 100 v • Frequency – 1 to 200 Hz • Pulse Width 75 to 360 ms • Output waveform- Symmetric
4.	Electrical lumbar Traction with bed & accessories	<ul style="list-style-type: none"> • Traction mode: Static & Intermittent • Traction force- 2-90 kg • Hold-Rest time 1-100 Sec • Treatment time 1- 120 minutes • Wooden stool
5.	Wall mounted Electrical cervical traction& accessories	<ul style="list-style-type: none"> • Spreader Bar • Head halter • Nylon pulleys • Hanger with 9 Kgs weight (4Kg+1+1+1+1+1)
6.	Dual Frequency US	<ul style="list-style-type: none"> • Modes- (Continuous & Pulsed) • Weight 3-4 kg • Treatment head – 20 to 25 mm • Maximum output- 2.5 Watts/sq.cm
7.	Electrical Stimulator	<ul style="list-style-type: none"> • Mode: Galvanic ,Interrupted Galvanic, Faradic & Surged Faradic • Active, Inactive Plate electrodes, Pen Electrodes with Electric wires
8.	Trolley With drawer	<ul style="list-style-type: none"> • Size: 600 -700(L) x 400-500 (W) x 800-900 (H) mm • Stainless steel tubular frame
9.	Hydro collator with hot packs	<ul style="list-style-type: none"> • Inner Chamber Size:14-19" X 11-15" X (12-16"H) • Outer Chamber Size: 18-22" X 14-18" X (17-21"H) • Heater : 2000 watt • Stainless steel (Inner & Outer)

10.	paraffin Wax Bath	<ul style="list-style-type: none"> • Size: 45-55 cmx30-40 cmx20-30cm • Thermostat control: 30-110 deg Celsius
11.	Parallel bars	<ul style="list-style-type: none"> • Length: 3 meters • Height: Adjustable from 55cm to 80cm • Width: Adjustable from 35cm to 55cm • Platform: Tubular steel constructed platform with incline at both ends & is covered with non-slip matting • Hand-Rails: 30-35 mm Dia • Upright steel tube: 45-55 mm Dia
12.	Inclined Board	<ul style="list-style-type: none"> • Wooden Board • Adjust to 5 positions: 15°, 20°, 25°, 30° & 35° • Size:15-17" Wide by 17-19" Deep by 11-13" High
13.	Standing mirror	<ul style="list-style-type: none"> • Wooden Frame • Glass size:20"-25"x60"-65"
14.	Electrical Tilt table	<ul style="list-style-type: none"> • Size: 190-200cm long x 60-65cm wide x 75-80 cm high • Range of tilt 0-90 degree • Electric operated • Fitted with 3 wide straps
15.	Rollator Small - 1, Big -1	<ul style="list-style-type: none"> • Frame: Powder coated finish tubular steel • Adjustable: 50-65 cm • Wheels: 4
16.	Graded square wood peg board rounded wood peg board	<ul style="list-style-type: none"> • Size: 16x12 inches • Pegs: Made of Wood • 25 Pegs • Five pegs each are graded in 5 different heights and board has five rows, one for each size. Each size is painted in a different Color
17.	shoulder wheel	<ul style="list-style-type: none"> • Powdered Coated • Resistance: Adjustable • Diameter : 90-110 cm
18.	quadriceps table	<ul style="list-style-type: none"> • Angle of Flexion- 0-90 degree • Weight Of four plate: 1 kg each • Size: 900-1000mmx700-800mmx1300-1400mm
19.	static cycle(Child)	<ul style="list-style-type: none"> • Size : 1000-1100 x 500-600 x 1100-1200 mm • Tubular steel frame • Adjustable seat • Max. User Weight : 100 Kgs
20.	Forearm exerciser	<ul style="list-style-type: none"> • Aluminum Roller with Three different diameters • i.e. 30mm, 40mm and 50mm to suit different Grips. • Adjustable Resistance Control mechanism, • controllable from Zero to Maximum • Laminated Board size, 20cm x 80cm long for placing or • fixing on table • Hand Grip for Supination/Pronation
21.	CPM for knee	<ul style="list-style-type: none"> • Flexion Angle: Digital display of Flexion & Extension • Angle: 0 to 108 deg. • Timer: Digital Timer up to 99 minutes.

		<ul style="list-style-type: none"> • Angle Adjustment: Two Inching knobs to adjust starting angle. Speed: Fixed single speed
22.	Physio roll	<ul style="list-style-type: none"> • Size: 12" high x 20" wide • Latex-free, BPA-free
23.	physio ball/ Swiss ball	<ul style="list-style-type: none"> • Diameter of 3 size- (55, 75,95)
24.	floor sitter	<ul style="list-style-type: none"> • Wooden Corner Chair with soft padded seat • Sides and back support • Removable Lap board
25.	Ankle Foot exerciser	<ul style="list-style-type: none"> • Painted aluminum boot with strap to hold the foot is mounted on a laminated base with Stainless steel sheet bracket having Two springs for ankle • (Dorsi and Plantar flexion) exercises. Resistance can be increased further by tightening spring's nut
26.	Prone Crawler	<ul style="list-style-type: none"> • Rexine made body hammock tilts forward or backward • Height Adjustable 3- 5 inches
27.	Wall mounted weight & pulley circuit	<ul style="list-style-type: none"> • Tubular constructed wall mounting unit, • comes with Two Pulleys, Rope and Two Handles
28.	Balance board - adult, child	<ul style="list-style-type: none"> • Foam Cushioned Top • Size: 45cm x 60cm x 15cm high
29.	single station multi-gym	<ul style="list-style-type: none"> • Tubular steel constructed chair of 100 cm long x 67 cm wide is fitted with overhead bar that extends out 80cm from the frame. The chair with two stabilizing straps, three handles two foot straps, ropes with pulleys and overhead pulley system can be used for variety of exercises involving Reciprocal Motion for Elbow, Shoulder, Knees and Hips; Active Quadriceps and Hamstrings
30.	Foot steps	<ul style="list-style-type: none"> • 4 sizes <ol style="list-style-type: none"> 1. 15-17"x19-21"x7-9" 2. 13-15"x17-19"x5-7" 3. 11-13"x12-14"x3-5" 4. 9-11"x11-13"x2-4"
31.	Trampoline	<ul style="list-style-type: none"> • Diameter: 110-130 cm • Frame: Stainless steel
32.	Long wave diathermy	<ul style="list-style-type: none"> • Output Frequency - 1MHz • Output Power - 1 Watts/100 Ohm. • Adj in 15 steps • Output Mode - Continuous / Pulsed Pulse • Freq. - 100 Hz (4Steps) • Display Timer - 0-60 min
33.	Kinetic sand	<ul style="list-style-type: none"> • Mold create and unleash • Cleanable • Weight: 400-600 gram
34.	Resistance bands	<ul style="list-style-type: none"> • 5 nos (Thin, Medium, Heavy, Extra heavy & Maximum)
35.	Reciprocal Walker	<ul style="list-style-type: none"> • Height: 71-96 cm • Weight Capacity: 115 Kg • Overall height:780-940 mm
36.	Therapy Mattress	<ul style="list-style-type: none"> • High density foam

		<ul style="list-style-type: none"> • Mat size -110-120cm x 180-190cm x 9-11 cm
37.	Incentive Spirometer	<ul style="list-style-type: none"> • Compact, high quality break-resistant plastic, 3-ball incentive spirometer • 3 chambers for differing inhalation rates - from 600cc/s to 1200 cc/ sec
38.	Cryobag	<ul style="list-style-type: none"> • Size – 20- 30 cm • Round shape- 2 nos • Oval shape- 2nos
39.	Children padded scooter board	<ul style="list-style-type: none"> • Four concealed braked castors • Four circular protective pads • Positioning and abductor pads • Washable stain resistant covers • Removable positioning shapes • Abductor wedges • Hip positioning strap • Height up to 40" (102 cm) • Length 28" (71 cm)
40.	Exercise Sensi peanut ball	<ul style="list-style-type: none"> • Specially textured NUBBY surface • 40cm x 90cm • 50cm x 100cm • 60cm x 110cm
41.	Donut therapy ball 65cm	<ul style="list-style-type: none"> • 26" Dia x 14" H
42.	Donut therapy ball 75cm	<ul style="list-style-type: none"> • 30" Dia x 16" H
43.	Donut therapy ball 85 cm	<ul style="list-style-type: none"> • 34" D x 18" H
44.	Scooter board 12"	<ul style="list-style-type: none"> • Non marking rubber swivel casters • Plastic Material • 12" L X 12" W
45.	Scooter board 16"	<ul style="list-style-type: none"> • Non marking rubber casters • Plastic material • 16" LX 16"W
46.	Monkey hand exerciser	<ul style="list-style-type: none"> • Durable washable ,soft latex free, hypo allergenic mate
47.	Nested Climbing stool set	<ul style="list-style-type: none"> • Teak wood legs & Plywood top with non-slip matting • 16"x20"x8" • 14"x18"x6" • 12"x14"x4" • 10"x12"x2"
48.	Bolster	<ul style="list-style-type: none"> • 5 sizes • 15cm D x 60cm L • 20cm D x 90 cm L • 25cm D x 90cm L • 30cm D x 90 cm L • 40cm D x 120cm L
49.	Tilt table	<ul style="list-style-type: none"> • Child size • Electric with activity table
50.	Exercise Staircase	<ul style="list-style-type: none"> • Corner type with ramp

		<ul style="list-style-type: none"> • Five steps • 7.5cm,10cm,12.5cm,15cm,17.5cm in height and 2.5cm deep • Other section has ramp, raising from 2.5cm to 60cm. • Made of commercial boards with hardwood reinforcement • Hand rails and supports are made of solid hardwood.
DAIL – Training Aids		
51.	Peg Board (set with Bin)	Aluminum rod 8mm dia X 7cm high 32.nos. Peg board wood - 10.cm X 16.cm X 2.5cm high. With 10mm dia – 32 holes. Slopped bottom bin wood – 9 X 12 X 20.Length X 12cm high
52.	Nail Board (set with Bin)	Slopped bottom bin wood – 9 X 12 X 20. Length X 12cm high. Nail board wood 10cm X 22.cm length X 5.cm High. Nail – 4.mm dia X 4.cm length.
53.	Nailing Tweezers	Fixture – wood sizes 12cm X 25.cm X 4.cm high 10 X10 =100.nos 3.mm dia holes with cavity - 6.cm X 5.cm X 3.mm high. Aluminum Rivet – 4mm Dia X 2.5mm length.
54.	Washer Assembly Board set	Wooden fixture 9.5.cm X 21.cm X2.cm high with two side cavity Steel washer 9.5.cm X 21.cm 3.mm thickness 20nos. Tweezers 2.nos
55.	Bolt & Nuts Assembly Board	Fixture 30.cm X 26.cm with Steel plate – 28.cm X 28.cm (4X4 – 4type of holes. Spanner with Bolt & Nut - 8-9 = 2nos Spanner with Bolt & Nut 10-11= 2nos Spanner with Bolt & Nut 12-13 = 2nos Spanner with Bolt & Nut 14-15 = 2nos Spanner with Bolt & Nut 16-17 = 2nos. Total = 5.sets
56.	Screw Assembly Board set (Two bin	Zing & fixture 9.cm X 17.cm X 5.cm high. Screw 2.5cm high with 1.cm dia head 12 –nos. Screw Driver Medium size - 1no. Slopped bottom bin 2.nos. 15.cm X 8.cm X 7cm length
57.	Wick Winding (Training Aid)	Zing & fixture 60.cm X 13.cm X 6.cm Length. 2. Square wheel 5.cm X 5.cm X 8.cm length with handle Medium size thread con - 1.no.
58.	Number board (Token Assembly Board)	Semi-circle play wood in 5mm thickness 1.nos - 80.cm X 50.cm 5.cm high (Two parts) on the board write in 1 to 9 black color numbers in two sides) Plastic tokens 20.nos 3.cm dia X with 3.mm dia holes.
PROSTHETICS & ORTHOTICS		
59.	Heating pan low temperature thermoplastic	Stainless steel body. Interior Dimension=Length 25’’x width 19 ½’’x depth 5’’ Exterior Dimension= 34’’x21’’x7’’ Heating range: 100-130 degree Celsius Digital temperature control unit
60.	Industrial sewing machine	ISI/BIS certified Electric motor single phase drive Foot pedal system
61.	Machinist tool set	

62.	Anvil	50 kg
63.	Bolt cutter	12" Taparia
64.	Ball pin hammer	500 gm
65.	Claw hammer	450gm
66.	Combination plier	8 inch Taparia
67.	Combination bench vice	250 mm
68.	Electric operated hand drilling machine	12mm capacity
69.	Drill bit set	(1-12mm)
70.	Hacksaw Frame	12" length
71.	Metal file 12"	Flat smooth
72.	Metal file 12"	Half Round smooth
73.	Pincer	8"
74.	Mallet	Wooden make
75.	Round nose plier	8"
76.	Screwdriver set	6"-12"
77.	Sharing machine	8"
78.	Electrical operated Zig-saw machine	Single phase drive For cutting 6-12mm plywood/plastic
79.	Vice grip plier	8"
80.	Scissors	8"
81.	Revolving leather punch	8"
<u>MEDICAL SCIENCE:</u>		
82.	BP Apparatus (Digital)	<ul style="list-style-type: none"> • ISI Certified • Mercury Type • Measuring range from 0 to 300 mmHg • The leak rate should not exceed 10 mm of mercury per minute. • Should be provided with adult arm cuffs of size medium large and pediatric cuff • The internal diameter of the manometer glass tube should be 4.1 ± 0.1 mm and the thickness not less than 2 mm • All plastic parts, if any used should not crack, flake, peel or disintegrate in normal use. • The mercury used should be clean, double distilled and 99.9% purity. • The inflating rubber bag should be capable of withstanding an internal pressure of 450 mmHg without leaking. • The tubes should be fitted with male and female luer connectors. • A cleaning brush to clean the manometer tube and a set of spare washers may be provided with each unit.
83.	X-ray viewer	<ul style="list-style-type: none"> • Body: Powder Coated MS Cabinet with Aluminum Frame • View: Single, Double, Triple and Four View Available • Sheet: 2 mm Acrylic Sheet • Power: 12 V, 50-60Hz, 2 Amp

		<ul style="list-style-type: none"> • Bulb: 264 High Glossy Led Bulbs • Parts: Heavy Duty Switch & Socket Used • Safety: Shock Proof Mechanism • Holding: Plastic Clips for X-ray film Holding
84.	Stethoscope	<ul style="list-style-type: none"> • 1-Pediatric & 1- Adult • ISI certified (1- Pediatric & 1-Adult) • Chest Piece- Stainless Steel • Ear tip- Soft Sealing • Diaphragm Material-Fiberglass
85.	Thermometer	<ul style="list-style-type: none"> • Mercury type
86.	Electronic Weighing machine	<ul style="list-style-type: none"> • ISI certified • Manual Type • Clear magnifying break resistant lens encased in a sleek contoured chrome plated lens holder • MS steel body
87.	Dressing Kit	<ul style="list-style-type: none"> • Gauze Bandage-5 • Scissors- 1 • Band aid-5 • Tri benzoil – 1 bottle
88.	Assessment Tools	<ul style="list-style-type: none"> •Measuring tape •Torch •Sneller’s chart- 2 •Autoclave-1 •Knee hammer- 1 •Height measurement scale
89.	Sterile Equipment	<ul style="list-style-type: none"> •Forceps- 2 •Cotton roll- 2
OCCUPATIONAL THERAPY EQUIPMENTS:		
90.	Ball medicine with cabinet	BALL MEDICINE, made out of fine leather, securely stitched with strong leather cord. 1kg, 2kg, 3kg, 4kg,5kg
91.	Sanding unit for reciprocal exercise	Upper plank: 30cm X 100 cm high Lower plank: 30 cm wide with 6slots Sand blocks : 3 pair
92.	Grip exerciser	Chrome plated finished, metallic grip exerciser 50 mm wide laminated base
93.	Goniometer 180degree	Aluminium – overall length 12”
94.	Finger goniometer	Stainless steel – unit measures about 14 cm in length
95.	Goniometer 360 degree	Unit measures about 50 cm X 200 mm in length
96.	Depth Perception peg board set	30 cm square , 25 holes 12mm dia, chrome plated solid iron rod pegs
97.	Prone Crawling board with wheels	30 cm X 7 cm
98.	Ankle exerciser	Painted Aluminium boot, stainless steel sheet bracket
99.	Dressing frame set	Set of four laminated board, lace, buckles, button Zipper
100.	Wrist roll	30 mm, 40 mm, and 50 mm , 20cm X 90cm long with adjustable friction control mechanism
101.	Wrist circumductor	Cast iron wheel of 30 cm dia, wood base size 65 cm X 22 cm
102.	Walker rollator	Tubular steel construction , adjustable height 52 cm to 65 cm

103.	Static cycle exerciser	Tubular steel frame stands, with height adjustable
104.	Shoulder wheel	Size: 43"X 43" X 13" Weight: 50 Kg
105.	Sanding unit overhead	Heavy & wide based stand adjustable in height
106.	Pyramid round	Diff size of 10 laminated round bloc of 20mm thickness on 30 cm
107.	Prone crawler	Rexine made body hammock- 2 to 7 yrs.
108.	Five peg board	Solid plastic peg and wooden board
109.	Ten peg board	Solid plastic peg and wooden board
110.	Mushroom board	10pegs & 10 tops
111.	Therapy ball	Size: 1)22"(55cm) 2)26" (65cm) 3)30" (75 cm) 4)34"(85cm) 5)38"(95cm)
112.	Semi-Couch	<ul style="list-style-type: none"> • 4Ft width X 5 ft. length X 1.5-2 ft. height • With plinth (15.2 cm thickness, hard foam) • Frame-wood or stainless strong metal frame • Foldable leg (optional) • Water resistant washable plinth cover
113.	Assessment table	<ul style="list-style-type: none"> • 2-3 ft width X 3-4 ft height adjustable • foldable
114.	Compact ramp with steps	<ul style="list-style-type: none"> • Width 1500-2000 mm • Step length – 900mm • Height 1.5 ft • Detachable or foldable or portable • Small handle at each step to push inside or pull outside • Padded or non-slippery surface
115.	Floor foam mattress	<ul style="list-style-type: none"> • Detachable, washable and different color
116.	Plastic trays for storage	<ul style="list-style-type: none"> • Trays with cover • Minimum of 10 trays/boxes
117.	Plastic tunnels	<ul style="list-style-type: none"> • Individual rings • Plastic material • Light weight • Different color and shapes
118.	Bean bags	<ul style="list-style-type: none"> • Different color and shape • Different size
119.	Peabody developmental motor Scales (PDMS 2) complete kit	<ul style="list-style-type: none"> • Manual • Profile forms • Examiner record booklets • Guide to administering and scoring • Chart • Storage box
120.	Sensory integration and praxis test	<ul style="list-style-type: none"> • Including materials • All scoring sheets & manual • Administration training

OH PREFABRICATED

<p>121.</p>	<p>Quadripod</p>	<ul style="list-style-type: none"> • Quadripod is a walking aid to give extra stability during walk to very weak or very old or physically challenged individuals. • Made out of special grade of aluminum to ensure strength, durability and light weight. • Broad base gives good stability. • Height adjustment feature ensures proper load bearing. Broad Quadra base • High stability, high load bearing and durability, no wobble and greater confidence. • Double position of the handle. • Universal left and right use. • Special grade of aluminum and mild steel • Light weight, good weight bearing, strong and durable • PU/PVC Pod: Very long life, transparent, better aesthetics and anti-slip properties. Excellent workmanship. • Good functioning and easy size customization. • ABS Handle: Anatomical shape, comfortable grip and nice to touch.
<p>122.</p>	<p>Walker (Foldable)</p>	<ul style="list-style-type: none"> • Each side operates independently to allow easy movement through narrow spaces and greater stability while standing • Easy push-button mechanisms may be operated by fingers, palms or side of hand • Sturdy 1 inch diameter, aluminum construction ensures maximum strength while remaining lightweight

		<ul style="list-style-type: none"> • The patient is able to bring the walker closer to assist in standing because of the improved cross frame • Unique U-shaped frame design creates greater clearance
123.	Walker (Non-Foldable)	<ul style="list-style-type: none"> • 250 lb. weight capacity • 18 in. W inside the hand grips • 31 in. - 37.5 in. H adjustment • Rigid frame • Secure frame without folding mechanisms eliminates even the slightest wobble for users needing maximum assistance with balance. • 250-lb. (113 kg) Weight capacity; Width inside hand grip, 18" (46 cm); Height adjustment, 31"-37.5" (79-95 cm).
124.	Walker (Reciprocal)	<ul style="list-style-type: none"> • Frame. : Sturdy 25mm diameter, anodized, aluminum construction. • Height. : Frame is adjustable from 76cm to 94cm by slipping spring locking pins in proper notch. • In -side Measurements. : Width 50cm. X Depth 40cm. • Grips. : Fitted with soft PVC hand grips. • Shoes/Tips. : Four, broad based PVC shoes. • Approx. Measurements in folded position: 78cm x 55cm x 13cm. • App. Weight: 2.5kg. • Type: Foldable .
125.	Prevocational training Kit	<ol style="list-style-type: none"> i. Nut & Bolt board: 30 nuts & bolts with different size. Wooden board/ plastic box ii. Peg boards with aluminium pins: 50 pins, wooden board iii. Computer key boards <p>Different size spanners and bolts, cutting player, scissors, Different size screw drivers</p> <ul style="list-style-type: none"> •
126.	Hand Function Evaluation Kit	<ul style="list-style-type: none"> • Pinch meter • Dyanmo meter • Finger Goniometer • Goniometer

		<ul style="list-style-type: none"> • Two point Discrimination tool • Finger circumference gauge Functional Finger Gauge
127.	Shaker Wiggler Bell Set	Set of 3 different 5" long wigglers with easy-to-grip
128.	Pair of Pediatric Adjustable Cuff Ankle Weight	Dimensions: 10" x 0.5" x 4" Each weight insert is 0.17 lb. There are 12 weight inserts Made by Cando® Weight: 2.0 lbs
129.	Postural Training Mirror	Mirror of 180cmx 60 cm,protected by 5cm wide hardwood polished frame with back covered by plywood Fitted with angular and tubular stand. Frame is mounted on 4 ballbearing rubber castors of 50mm dia.
130.	Standing Frame	Backrest front and back is adjustable. Footrest height is adjustable. Activity tray height, front and back is adjustable. The side support of the seat is adjustable. Wheels (casters) are attached for smooth movement and provided with break. The width and height of the neck support is adjustable for neck arrest

NATIONAL INSTITUTE FOR EMPOWERMENT OF PERSONS WITH MULTIPLE DISABILITIES

(NIEPMD)

**(Department of Empowerment of Persons with Disabilities,
Ministry of Social Justice & Empowerment, Govt. of India)
East coast Road, Muttukadu, Kovalam (post) Chennai-603 112
Tel:044-27472113,27472046 Fax:044-27472389
www.niepmd.tn.nic.in Email:niepmd@mail.com**

TECHNICAL BID

(To be uploaded)

Name and address of the bidder:

1. Name of the bidder

a) Full postal address

b) Full address of the premises

c) Telegraphic address

d) Telex number

e) Telephone number

f) Fax number

1. Monthly supply capacity of goods quoted for

a) Normal

b) Maximum

2. Total average annual turn-over of last 05 FYs (value in Rupees).....

(Copy of Balance Sheet s Audit Statement / IT returns, etc. to be attached as proof)

3. Past supply details for 3 years (major orders only)

4. Whether similar job work undertaken in the past, if so details

(Samples to be displayed if required)

Customer

Quantity supplied

Year

CHECK LIST

The Technical Bid shall be summarily rejected, if these documents are not uploaded.

Documents must be attached in following serial order only.

Sl. No	Particulars	Yes/No
01.	Tender Fee Rs.1,000/- (Rupees One thousand only) as cost of Tender (Non-Refundable) . (Scan copy of receipt must be uploaded with technical bid)	
02	EMD Amount of Rs.1,00,000/- (receipts of online payment must be uploaded with technical bid)	
03	Proof of average annual turnover of last 03 financial years Rs. 01 Crore (i.e. 3 Crores in 03 FYs), (CA certified copies and profit and loss statement with balance sheet to be uploaded with technical bid)	
04.	Copy of appropriate PAN Card (be uploaded with technical bid)	
05.	Copy of Registration with Service Tax/ Sales Tax/ VAT / GST. (be uploaded with technical bid)	
06.	Technical Specification of materials quoted in respect to our tender document.	
07.	Undertaking to supply on credit of 30 days after clear receipt of materials (be uploaded with technical bid)	
08	Proof of having own agency facility. (Proof to be uploaded)	
09.	Copies of supply orders / challans / contract award letter of authentic agencies as proof of in same business.	
10.	Self-certification that firm is not blacklisted.	
11.	Undertaking regarding rates will be firm during contract period. (Self-Certificate on company letter head to be uploaded).	
12.	Copy of Income Tax Return of the firm/company/agency (Individual in case sole proprietary firm) for last 03 financial years.	
13	Consent certificate on company letter head duly signed by Authorised signatory Stating that firm will be supplying the therapy materials in all parts of India including Directorate of Social Welfare, Andaman & Nicobar Administration. Non uploading of consent may lead to rejection of bid.	
14.	Copy of NIT duly signed and stamped by the bidder on all pages Must be uploaded.	

**NATIONAL INSTITUTE FOR EMPOWERMENT OF PERSONS WITH MULTIPLE DISABILITIES
(NIEPMD)**

(Department of Empowerment of Persons with Disabilities)
(Ministry of Social Justice & Empowerment, Govt. of India)
East coast Road, Muttukadu, Kovalam (post) Chennai-603 112
[Tel:044-27472113,274720 46](tel:044-27472113,27472046) Fax: 044-27472389
www.niepmd.tn.nic.in Email:niepmd@mail.com

FINANCIAL BID

(To be enclosed in separate sealed cover)

- (a) Attached BOQ in excel format should be downloaded and filled up. No commercial quote should be mentioned in technical bid.
- (b) Rate should be quoted for all the items mentioned in BOQ. In case of not quoted for all items will cause for financial rejection.

Signature and seal of the bidder